

Data Sheet

Fujitsu L22W-1 Display

55.9 cm (22-inch) LCD widescreen display

An attractive price doesn't mean that you have to compromise on style or performance. The L22W-1 widescreen display offers best performance for home and office use. With its extremely slim and stylish design, the L22W-1 fits perfectly into your home and office environment.

HD resolution 1680 x 1050 for ultimate entertainment experience

Low typical power consumption and power management according to VESA DPMS

Very flexible with DVI (w/ HDCP) and analog connectors

Display in optimum 16:10 office format

Fast response time of 5 ms, perfect for Internet, home, office and more

Lifetime extender for investment saving

Optimized picture due to theme mode

Due to integrated speakers no further accessories needed



Technical details

Special features

	Lifetime Extender, keep aspect ratio option, cable guide
Stand	removable
Tilt angle	-5° / +15°

Picture performance

Contrast - advanced	20,000:1
Response time typical	5 ms
Viewing angle (h/v) - typical	170°/170°
Color performance	16.7 million colors (Hi-FRC)
Brightness - typical	300 cd/m ²

Size and resolution

Aspect ratio	16:10
Diagonal Size	55.9 cm (22-inch)
Resolution (native)	1680 x 1050 pixel (recommended)
Resolution (interpolated)	1440 x 900 pixel, 1360 x 768 pixel, 1280 x 1024 pixel, 1024 x 768 pixel
Video modes	1080i/p, 720i/p, 576i/p, 480i/p
Picture size	473.76 x 296.1 mm
Pixel Pitch	0.282 mm

Frequencies

Horizontal	31.5 - 83 kHz
Vertical	50 - 76 Hz
Frequencies - bandwidth	165 MHz

Connectivity

DVI	1 x DVI (HDCP)
VGA/D-SUB	1 x D-SUB
Audio signal input	3.5 mm stereo phone jack
Audio sound output	2 x 1.5 W

OSD Languages and setting options

Languages	Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish
Brightness / Contrast	Brightness, Contrast
Color	Cold, Warm, Custom Color
Image adjust	Clock, H-Position, V-Position, Expansion
Audio	Mute, Volume
Information	Resolution/mode, Signal input

Power consumption (typical, w/o sound)

Soft switch off	0.8 W
Power save mode	0.9 W
Operating with EPA settings	27 W
Operating maximum brightness	41 W

Electrical values

Rated voltage range	100 V - 240 V
Rated frequency range	50 Hz - 60 Hz
Protection class	1

Compliance

Europe	CE, RoHS, WEEE
Russia	GOST
USA/Canada	FCC Class B, cUL

Australia/New Zealand	C-Tick
Saudi Arabia	SASO
Global	ISO13406-2 (Pixel fault class II)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
Quality and Reliability	
MTBF (demonstrated)	50.000 h
Dimensions / Weight / Environmental	
Dimension without stand (W x D x H)	510 x 55.6 x 346.9 mm
Dimension with stand (W x D x H)	510 x 225.5 x 424.2 mm
Weight (packed)	6.6 kg
Weight (unpacked)	4.94 kg
Operating ambient temperature	5 - 35°C
Miscellaneous	
Miscellaneous	VESA DDC/ CI, Standardized mounting interface VESA FP MP MI 100 mm, Kensington lock
Package content	
Display delivered accessories	Data cable 1.8 m, D-SUB (15-pin), Audio cable 1.8 m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m, User manual, Warranty booklet, Quickstart flyer
Order information	
Order Code	S26361-K1325-V400
EAN-No.	4049699176838
Standard Warranty	3 years
Service level	Collect & Return Service (depending on country)
Service Weblink	http://ts.fujitsu.com/Supportservice

More information

Fujitsu platform solutions

In addition to Fujitsu L22W-1, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu L22W-1, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. <http://ts.fujitsu.com/displays>

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

Contact

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2011-01-17 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions